

PATENT
450100-02716**IN THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application. An identifier indicating the status of each claim is provided.

Listing of Claims

1. (Currently Amended) A recording apparatus for recording video data to a record medium, comprising:

encoding means for encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

transforming means for transforming the data structure of encoded video data that is output from said encoding means into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced; and

recording means for recording data having the file structure to a record medium, wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein at least one data structure is matched with the first data unit, whereby said second data unit is adapted to be read from said record medium in its entirety without having to perform a jump between non-successive locations on said record medium.

PATENT
450100-02716

2. (Currently Amended) A recording apparatus for recording video data to a rewritable optical disc, comprising:

encoding means for encoding video data corresponding to a compression-encoding process;

transforming means for transforming the data structure of encoded video data that is output from said encoding means into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced; and

recording means for recording data having the file structure to an optical disc,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein the second data unit is matched with a successive record length of data written to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without having to perform a jump between non-successive locations on said disc.

3. (Original) The recording apparatus as set forth in claim 1,

wherein the compression-encoding process is MPEG,

wherein the group structure is GOP structure, and

wherein data of which a sequence header is added to each GOP is matched with the first data unit.

PATENT
450100-02716

4. (Currently Amended) A recording apparatus for recording audio data to a rewritable optical disc, comprising:

transforming means for transforming the data structure of audio data or encoded audio data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and se forth are synchronously reproduced; and

recording means for recording data having the file structure to the optical disc,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein the second data unit is matched with a successive record length of data written to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without having to perform a jump between non-successive locations on said disc.

5. (Currently Amended) A recording apparatus for recording video data and audio data to a record medium, comprising:

video encoding means for encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

audio output means for outputting compression-encoded or non-compressed audio data; means for transforming the data structure of encoded video data that is output from said video encoding means and audio data that is output from said audio output means into a file structure that can be processed by a computer software program without a dedicated hardware

PATENT
450100-02716

portion so that moving pictures and so forth are synchronously reproduced and multiplexing the encoded video data and the audio data having the file structure; and

recording means for recording multiplexed data having the file structure to a record medium,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein at least one data structure of the encoded video data is matched with the first data unit;

whereby said second data unit is adapted to be read from said record medium in its entirety without having to perform a jump between non-successive locations on said record medium.

6. (Currently Amended) A recording apparatus for recording video data and audio data to a rewritable optical disc, comprising:

video encoding means for encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

audio output means for outputting compression-encoded or non-compressed audio data; means for transforming the data structure of encoded video data that is output from said video encoding means and audio data that is output from said audio output means into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced and multiplexing the encoded video data and the audio data having the file structure; and

PATENT
450100-02716

recording means for recording multiplexed data having the file structure to an optical disc,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein the second data unit is matched with a successive record length of which data is successively written to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without having to perform a jump between non-successive locations on said disc.

7. (Previously Presented) The recording apparatus as set forth in claim 5,

wherein the duration of the encoded video data of the second data unit is the same as the duration of the encoded audio data of the second data unit in the multiplexed data.

8. (Previously Presented) The recording apparatus as set forth in claim 5,

wherein the encoded video data of the second data unit and the encoded audio data of the second data unit are alternately placed in the multiplexed data, each of the encoded video data of the second data unit and the encoded audio data of the second data unit being matched with the successive record length.

9. (Previously Presented) The recording apparatus as set forth in claim 5,

wherein the audio data is compression-encoded corresponding to ATRAC, and

wherein the first data unit of the file structure contains at least one sound unit of ATRAC.

PATENT
450100-02716

10. (Previously Presented) The recording apparatus as set forth in claim 1,
wherein the file structure further includes a data portion containing management
information.

11. (Previously Presented) The recording apparatus as set forth in claim 1,
wherein the file structure further includes a data portion containing management
information, and
wherein the data portion contains size information of the first data unit and position
information of the second data unit.

12. (Currently Amended) A recording method for recording video data to a record medium,
comprising the steps of:

encoding video data in a group structure of a plurality of frames corresponding to a
compression-encoding process in a combination of an inter-frame predictive encoding process
and a motion compensative process;

transforming the data structure of encoded video data into a file structure that can be
processed by a computer software program without a dedicated hardware portion so that moving
pictures and so forth are synchronously reproduced; and

recording data having the file structure to a record medium,
wherein the file structure has a first data unit and a second data unit, the second data unit
being a set of the first data units, and

wherein at least one data structure is matched with the first data unit;

PATENT
450100-02716

whereby said second data unit is adapted to be read from said record medium in its entirety without having to perform a jump between non-successive locations on said record medium.

13. (Currently Amended) A recording method for recording video data to a rewritable optical disc, comprising the steps of:

encoding video data corresponding to a compression-encoding process;

transforming the data structure of encoded video data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures ~~and se-forth~~ are synchronously reproduced; and

recording data having the file structure to an optical disc,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein the second data unit is matched with a successive record length of data written to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without having to perform a jump between non-successive locations on said disc.

14. (Currently Amended) A recording method for recording audio data to a rewritable optical disc, comprising the steps of:

transforming the data structure of audio data or encoded audio data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures ~~and se-forth~~ are synchronously reproduced; and

PATENT
450100-02716

recording data having the file structure to the optical disc,
wherein the file structure has a first data unit and a second data unit, the second data unit
being a set of the first data units, and
wherein the second data unit is matched with a successive record length of data written to
the optical disc;
whereby said second data unit is adapted to be read from said disc in its entirety without
having to perform a jump between non-successive locations on said disc.

15. (Currently Amended) A recording method for recording video data and audio data to a record medium, comprising the steps of:

encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

outputting compression-encoded or non-compressed audio data;

transforming the data structure of encoded video data and audio data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced and multiplexing the encoded video data and the audio data having the file structure; and

recording multiplexed data having the file structure to a record medium,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein at least one data structure of the encoded video data is matched with the first data unit;

PATENT
450100-02716

whereby said second data unit is adapted to be read from said record medium in its entirety without having to perform a jump between non-successive locations on said record medium.

16. (Currently Amended) A recording method for recording video data and audio data to a rewritable optical disc, comprising the steps of:

encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

outputting compression-encoded or non-compressed audio data;

transforming the data structure of encoded video data and audio data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced and multiplexing the encoded video data and the audio data having the file structure; and

recording multiplexed data having the file structure to an optical disc,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein the second data unit is matched with a successive record length of which data is successively written to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without having to perform a jump between non-successive locations on said disc.

PATENT
450100-02716

17. (Currently Amended) A record medium on which a program for recording video data to a record medium has been recorded, the program causing a computer to perform the steps of:

encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

transforming the data structure of encoded video data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced; and

recording data having the file structure to a record medium,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein at least one data structure is matched with the first data unit;

whereby said second data unit is adapted to be read from said record medium in its entirety without having to perform a jump between non-successive locations on said record medium.

18. (Currently Amended) A record medium on which a program for recording video data to a rewritable optical disc has been recorded, the program causing a computer to perform the steps of:

encoding video data corresponding to a compression-encoding process;

transforming the data structure of encoded video data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced; and

PATENT
450100-02716

recording data having the file structure to an optical disc,
wherein the file structure has a first data unit and a second data unit, the second data unit
being a set of the first data units, and
wherein the second data unit is matched with a successive record length of data written
to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without
having to perform a jump between non-successive locations on said disc.

19. (Currently Amended) A record medium on which a program for recording audio data to a
rewritable optical disc has been recorded, the program causing a computer to perform the steps
of:

transforming the data structure of audio data or encoded audio data into a file structure
that can be processed by a computer software program without a dedicated hardware portion so
that moving pictures ~~and so forth~~ are synchronously reproduced; and

recording data having the file structure to the optical disc,

wherein the file structure has a first data unit and a second data unit, the second data unit
being a set of the first data units, and

wherein the second data unit is matched with a successive record length of data written
to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without
having to perform a jump between non-successive locations on said disc.

PATENT
450100-02716

20. (Currently Amended) A record medium on which a program for recording video data and audio data to a record medium has been recorded, the program causing a computer to perform the steps of:

encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

outputting compression-encoded or non-compressed audio data;

transforming the data structure of encoded video data and audio data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced and multiplexing the encoded video data and the audio data having the file structure; and

recording multiplexed data having the file structure to a record medium,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein at least one data structure of the encoded video data is matched with the first data unit;

whereby said second data unit is adapted to be read from said record medium in its entirety without having to perform a jump between non-successive locations on said record medium.

21. (Currently Amended) A record medium on which a program for recording video data and audio data to a rewritable optical disc has been recorded, the program causing a computer to perform the steps of:

PATENT
450100-02716

encoding video data in a group structure of a plurality of frames corresponding to a compression-encoding process in a combination of an inter-frame predictive encoding process and a motion compensative process;

outputting compression-encoded or non-compressed audio data;

transforming the data structure of encoded video data and audio data into a file structure that can be processed by a computer software program without a dedicated hardware portion so that moving pictures and so forth are synchronously reproduced and multiplexing the encoded video data and the audio data having the file structure; and

recording multiplexed data having the file structure to an optical disc,

wherein the file structure has a first data unit and a second data unit, the second data unit being a set of the first data units, and

wherein the second data unit is matched with a successive record length of which data is successively written to the optical disc;

whereby said second data unit is adapted to be read from said disc in its entirety without having to perform a jump between non-successive locations on said disc.